

SAFETY DATA SHEET

1. Identification

Product identifier Aluminum Bronze Alloys

Other means of identification

SDS number 101

Product code C95200, C95210, C95220, C95400, C95420, C95500, C95510, C95800, C95900,

AMS-4640, AMS-4870, AMS-4871, AMS-4880, AMS-4881, A380

Recommended use Manufacturing

Recommended restrictions Use in accordance with supplier's recommendations.

Manufacturer / Importer / Supplier / Distributor information

Company Name
Address
United Bronze of Pittsburgh Inc.
P. O. Box 317, Creighton, PA 15030

Telephone 724-226-8500
Contact person Bob Orringer
E-mail bronze713.aol.com
Temergency phone number 724-226-8500

2. Hazard(s) identification

Physical hazardsNot classified.Category 1Health hazardsSensitization, respiratoryCategory 1Sensitization, skinCategory 2

Carcinogenicity Category 2

Category 1 (Lung, central nervous system)

Specific target organ toxicity, repeated

exposure

OSHA hazard(s) Not classified.

Label elements Hazard symbol



Signal word Danger

Hazard statement May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic

skin reaction. Suspected of causing cancer. Causes damage to organs (Lung, centaral nervous

system) through prolonged or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Use personal protective equipment as required. Do not breathe

dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation wear respiratory protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If

experiencing respiratory symptoms: Call a poison center/doctor. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing

before reuse. If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Not classified.

3. Composition/information on ingredients

Mixture

Aluminum Bronze Alloys
SDS #101 Version: 1.0 Issue date: June 01, 2015 1 / 8

Hazardous components Chemical name	Common name and synonyms	CAS number	%
Copper		7440-50-8	71-90
Aluminum		7429-90-5	7-16
Manganese		7439-96-5	0-14
Iron		7439-89-6	2-6.5
Nickel		7440-02-0	0-6
Cobalt		7440-48-4	0-3
Silicon		7440-21-3	0-1.5
Zinc		7440-66-6	<0.5
Tin		7440-31-5	<0.3

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

In case of exposure to fumes or particulates: Move to fresh air. Get medical attention if discomfort persists.

Skin contact

Contact with dust: Wash skin with soap and water. In case of allergic reaction or other skin disorders: Seek medical attention and bring along these instructions. In case of contact with hot or molten product, cool rapidly with water and seek immediate medical attention. Do not attempt to remove molten product from skin because skin will tear easily. Cuts or abrasions should be treated promptly with thorough cleansing of the affected area.

Eye contact

Do not rub eyes. Remove any contact lenses. Flush eyes thoroughly with water, taking care to rinse under eyelids. If irritation persists, continue flushing for 15 minutes, rinsing from time to time under eyelids. If discomfort continues, consult a physician.

Ingestion

Rinse mouth thoroughly if dust is ingested. Only induce vomiting at the instruction of medical personnel. Get medical attention if any discomfort continues.

Irritation of nose and throat. Irritation of eyes and mucous membranes. Cough. Shortness of

Most important symptoms/effects, acute and delayed

breath. Wheezing. Sensitization.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

General information

Get medical attention if any discomfort develops. Seek medical attention for all burns, regardless how minor they may seem. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters Special powder against metal fires. Dry sand.

Do not use water or halogenated extinguishing media. Do not use water on molten metal: Explosion hazard could result.

During fire, gases hazardous to health may be formed. Solid metal is not flammable; however, finely divided metallic dust or powder may form an explosive mixture with air. In a fire, ferronickel may form highly toxic substances: iron carbonyl and nickel carbonyl, a known carcinogen.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Fire-fighting equipment/instructions

Specific methods

Move containers from fire area if you can do it without risk.

Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid inhalation of dust and contact with skin and eves. Wear protective clothing as described in Section 8 of this safety data sheet.

SDS #101 Version: 1.0 2/8 Issue date: June 01, 2015

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Allow spilled material to solidify and scrape up with shovels into a suitable container for recycle or disposal. If not possible, gently moisten dust before it is collected with shovel, broom or the like. Collect dust using a vacuum cleaner equipped with HEPA filter. The vacuum cleaner should be explosion-proofed. Avoid dust formation. This material and its container must be disposed of as hazardous waste.

Environmental precautions

Avoid release to the environment.

7. Handling and storage

Precautions for safe handling

Welding, burning, sawing, brazing, grinding or machining operations may generate fumes and dusts of metal oxides. Provide adequate ventilation. Avoid contact with sharp edges and hot surfaces. Avoid generation and spreading of dust and fumes. Avoid inhalation of dust and contact with skin and eyes. Avoid contact with hot or molten material. Dust clouds may be explosive under certain conditions. Take precautionary measures against static discharges when there is a risk of dust explosion. Use explosion-proof electrical equipment if airborne dust levels are high. To prevent and minimize fire or explosion risk from static accumulation and discharge, effectively bond and/or ground product transfer system. Wear appropriate personal protective equipment. Do not use water on molten metal. Do not eat, drink or smoke when using the product. Keep the workplace clean. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep dry. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum (CAS 7429-90-5)	PEL	5 mg/m3	Respirable dust.
		15 mg/m3	Total dust.
Cobalt (CAS 7440-48-4)	PEL	0.1 mg/m3	Dust and fume.
Copper (CAS 7440-50-8)	PEL	1 mg/m3	Dust and mist.
		0.1 mg/m3	Fume.
Manganese (CAS	Ceiling	5 mg/m3	Fume.
7439-96-5)			
Nickel (CAS 7440-02-0)	PEL	1 mg/m3	
Silicon (CAS 7440-21-3)	PEL	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
Tin (CAS 7440-31-5)	PEL	2 mg/m3	
US. ACGIH Threshold Limit Value	s		
Components	Туре	Value	Form
Aluminum (CAS 7429-90-5)	TWA	1 mg/m3	Respirable fraction
Cobalt (CAS 7440-48-4)	TWA	0.02 mg/m3	
Copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Manganese (CAS 7439-96-5)	TWA	0.2 mg/m3	
Nickel (CAS 7440-02-0)	TWA	1.5 mg/m3	Inhalable fraction.
Tin (CAS 7440-31-5)	TWA	2 mg/m3	
US. NIOSH: Pocket Guide to Cher	nical Hazards		
Components	Туре	Value	Form
Aluminum (CAS 7429-90-5)	REL	5 mg/m3	Respirable.
,		5 mg/m3	Welding fume or pyrophoric powder
		10 mg/m3	Total
	REL	0.05 mg/m3	Dust and fume.
Cobalt (CAS 7440-48-4)	• •——	•	Dust and mist.
Cobalt (CAS 7440-48-4) Copper (CAS 7440-50-8)	REL	1 ma/m3	Dust and mist.
Copper (CAS 7440-50-8)	REL REL	1 mg/m3 1 mg/m3	
,	REL REL	1 mg/m3 1 mg/m3	Fume.
Copper (CAS 7440-50-8) Manganese (CAS		•	
Copper (CAS 7440-50-8) Manganese (CAS	REL	1 mg/m3	Fume.
Copper (CAS 7440-50-8) Manganese (CAS 7439-96-5)	REL STEL	1 mg/m3 3 mg/m3	Fume.
Copper (CAS 7440-50-8) Manganese (CAS 7439-96-5) Nickel (CAS 7440-02-0)	REL STEL REL	1 mg/m3 3 mg/m3 0.015 mg/m3	Fume.

Aluminum Bronze Alloys SDS #101 Version: 1.0

Issue date: June 01, 2015 3 / 8

US. ACGIH. BEIs. Biological Exposure Indices

Components	Value	Determinant	Sampling Time
Cobalt (CAS 7440-48-4)	1 μg/l	Cobalt	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

Follow standard monitoring procedures.

Appropriate engineering controls

Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of dust. Ventilate as needed to control airborne dust. Use explosion-proof ventilation equipment if airborne dust levels are high. Special ventilation should be used to convey finely divided metallic dust generated by grinding, sawing etc., in order to eliminate explosion hazards.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear dust-resistant safety goggles where there is danger of eye contact. In addition to safety

glasses or goggles, a welding helmet with appropriate shaded shield is required during welding, burning, or brazing. A face shield is recommended, in addition to safety glasses or goggles,

during sawing, grinding, or machining.

Skin protection

Hand protection Wear suitable protective gloves to prevent cuts and abrasions. When material is heated, wear

gloves to protect against thermal burns. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment

with particle filter. When engineering controls are not sufficient to lower exposure levels below the applicable exposure limit, use a NIOSH approved respirator for dusts. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever work place conditions warrant a respirator's use. Seek advice from local supervisor.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated uniforms should be laundered separately from other clothing to prevent potential cross-contamination. If possible, an industrial laundry service should be used to eliminate the possibility of contaminating the home environment. Handle in accordance with good industrial hygiene and safety practices. Observe any medical surveillance requirements.

9. Physical and chemical properties

Appearance Shapes, Solids, Tubes & Turnings.

Physical state Solid.

Form Shapes, Solids, Tubes & Turnings.

Color Yellow to red.

Odor None.

Odor threshold Not available.
pH Unknown.

Melting point/freezing point 1814 - 1929.2 °F (990 - 1054 °C)

Initial boiling point and boiling

range

Not available.

Flash point

Evaporation rate

Not available.

Not available.

Not applicable.

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Aluminum Bronze Alloys

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 7.5 - 9

Solubility(ies) Insoluble in water.

SDS #101 Version: 1.0 | Issue date: June 01, 2015 | 4 / 8

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Viscosity

Other information

0.27 - 0.323 lb/in3 @ 68 F **Bulk density**

10. Stability and reactivity

Reactivity Stable at normal conditions.

Chemical stability Massive metal is stable and non reactive under normal conditions of use, storage and transport. Hazardous polymerization does not occur. Hot molten material will react violently with water

Possibility of hazardous

reactions Conditions to avoid resulting in spattering and fuming.

Contact with incompatible materials. Contact with acids will release flammable hydrogen gas.

Avoid dust formation. Dust clouds may be explosive under certain conditions. Incompatible materials Acids. Ammonium nitrate. Fluoride. Halogens. Nitrates. Phosphorus. Strong oxidizing agents.

Sulfur.

Hazardous decomposition

products

Welding, burning, sawing, brazing, grinding or machining operations may generate dusts and

fumes of metal oxides.

11. Toxicological information

Information on likely routes of exposure

Not relevant, due to the form of the product. However, ingestion of dusts generated during Ingestion

working operations may cause nausea and vomiting.

Inhalation May cause allergic respiratory reaction. Elevated temperatures or mechanical action may form

> dust and fumes which may be irritating to the mucous membranes and respiratory tract. In sensitized individuals, exposure causes an asthma-like attack, with wheezing, bronchospasm,

and dyspnea.

Skin contact May cause an allergic skin reaction. Hot or molten material may produce thermal burns. Workers

> allergic to nickel may develop eczema or rashes. Acute exposure to cobalt metal, dust, and fume may cause irritation of skin and eyes. In sensitized individuals, exposure causes an asthma-like

attack, with wheezing, bronchospasm, and dyspnea.

Molten material will produce thermal burns. Elevated temperatures or mechanical action may form Eye contact

dust and fumes which may be irritating to the eye. Acute exposure to cobalt metal, dust, and fume

may cause irritation of skin and eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of nose and throat. Irritation of eyes and mucous membranes. Coughing. Wheezing.

Shortness of breath. Sensitization.

Information on toxicological effects

Acute toxicity

Acute exposure to cobalt metal, dust, and fume may cause irritation of skin and eyes. In sensitized individuals, exposure causes an asthma-like attack, with wheezing, bronchospasm, and dyspnea. Ingestion of cobalt may cause nausea, vomiting, diarrhea, and a sensation of hotness. High concentrations of freshly formed fumes/dusts of metal oxides can produce

symptoms of metal fume fever.

Components **Species Test Results**

Silicon (CAS 7440-21-3)

Acute Oral

LD50 Rat 3150 mg/kg

Skin corrosion/irritation Elevated temperatures or mechanical action may form dust and fumes which may be irritating to

the eye, mucous membranes and respiratory tract. Hot or molten material may produce thermal

burns.

Serious eye damage/eye

irritation

Dust from machining operation in the eyes will cause irritation.

Respiratory sensitization May cause sensitization by inhalation.

Skin sensitization Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

May cause sensitization by skin contact. Pre-existing skin conditions including dermatitis might be

aggravated by exposure to this product.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity Possible cancer hazard - may cause cancer based on animal data. Suspected of causing cancer.

Limited evidence of a carcinogenic effect.

Aluminum Bronze Alloys

SDS #101 Version: 1.0 5/8 Issue date: June 01, 2015

IARC Monographs. Overall Evaluation of Carcinogenicity

Cobalt (CAS 7440-48-4)

Nickel (CAS 7440-02-0)

2B Possibly carcinogenic to humans.

1 Carcinogenic to humans.

NTP Report on Carcinogens

Nickel (CAS 7440-02-0) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity

In experimental animal studies, cobalt produces adverse developmental effects at doses that produce maternal toxicity. There are no human data on cobalt exposure during pregnancy.

Nickel: Has shown teratogenic effects in laboratory animals.

Specific target organ toxicity -

single exposure

High concentrations: May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not available.

Aspiration hazard

Not applicable.

Chronic effects

Harmful: danger of serious damage to health by prolonged exposure through inhalation. Chronic inhalation of high concentrations of iron oxide fumes or dust may lead to benign pneumoconiosis (siderosis). Prolonged and repeated overexposure to dust and fumes can lead to benign pneumoconiosis (stannosis). Chronic exposure to breathing low levels of manganese dust or fume over a long period of time can result in "manganism," a disease of the central nervous system similar to Parkinson's Disease, gait impairment, muscle spasms and behavioral changes. Chronic inhalation of metallic oxide dust/fume may cause metal fume fever.

Further information

Welding or plasma arc cutting of metal and alloys can generate ozone, nitric oxides and ultraviolet radiation. Ozone overexposure may result in mucous membrane irritation or pulmonary

discomfort. UV radiation can cause skin erythema and welders flash.

12. Ecological information

Ecotoxicity

Alloys in massive forms present a limited hazard for the environment. The product contains a

substance which may cause long-term adverse effects in the environment.

Components Species Test Results

Iron (CAS 7439-89-6)

Aquatic

Fish LC50 Channel catfish (Ictalurus punctatus) > 500 mg/l, 96 hours

Persistence and degradability
The product is not biodegradable.

Bioaccumulative potentialThe product contains potentially bioaccumulating substances.Mobility in soilAlloys in massive forms are not mobile in the environment.Mobility in generalAlloys in massive forms are not mobile in the environment.

13. Disposal considerations

Disposal instructions This material and its container must be disposed of as hazardous waste. Dispose in accordance

with all applicable regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Z110: Inorganic compounds n.o.s.

Waste from residues / unused

products

Recover and recycle, if practical. Solid metal and alloys in the form of particles may be reactive. Its hazardous characteristics, including fire and explosion, should be determined prior to disposal.

Contaminated packaging Not applicable.

14. Transport information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Aluminum Bronze Alloys
SDS #101 Version: 1.0 Issue date: June 01, 2015 6 / 8

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

CERCLA Hazardous Substance List (40 CFR 302.4)

 Cobalt (CAS 7440-48-4)
 LISTED

 Copper (CAS 7440-50-8)
 LISTED

 Manganese (CAS 7439-96-5)
 LISTED

 Nickel (CAS 7440-02-0)
 LISTED

 Zinc (CAS 7440-66-6)
 LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - Yes

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous Yes

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Cobalt (CAS 7440-48-4) Manganese (CAS 7439-96-5) Nickel (CAS 7440-02-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Food and Drug Not regulated.

Administration (FDA)

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

Aluminum (CAS 7429-90-5) Cobalt (CAS 7440-48-4) Copper (CAS 7440-50-8) Manganese (CAS 7439-96-5) Nickel (CAS 7440-02-0) Silicon (CAS 7440-21-3) Tin (CAS 7440-31-5) Zinc (CAS 7440-66-6)

US. New Jersey Worker and Community Right-to-Know Act

 Aluminum (CAS 7429-90-5)
 500 LBS

 Copper (CAS 7440-50-8)
 500 LBS

 Manganese (CAS 7439-96-5)
 500 LBS

 Nickel (CAS 7440-02-0)
 500 LBS

 Zinc (CAS 7440-66-6)
 500 LBS

US. Pennsylvania RTK - Hazardous Substances

Aluminum (CAS 7429-90-5) Cobalt (CAS 7440-48-4) Copper (CAS 7440-50-8) Manganese (CAS 7439-96-5) Nickel (CAS 7440-02-0) Silicon (CAS 7440-21-3) Tin (CAS 7440-31-5) Zinc (CAS 7440-66-6)

SDS #101 Version: 1.0 Issue date: June 01, 2015 7 / 8

Aluminum Bronze Alloys

US. Rhode Island RTK

Aluminum (CAS 7429-90-5) Cobalt (CAS 7440-48-4) Copper (CAS 7440-50-8) Manganese (CAS 7439-96-5) Nickel (CAS 7440-02-0) Silicon (CAS 7440-21-3) Tin (CAS 7440-31-5) Zinc (CAS 7440-66-6)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Cobalt (CAS 7440-48-4) Nickel (CAS 7440-02-0)

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last version

Inventory name

Issue date June 01, 2015

Version: 1.0

United States & Puerto Rico

Further information Not available.

References HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer

The information in this MSDS was obtained from industry sources that we believe to be reliable. However, the information is provided without any representation or warranty, expressed or implied regarding the accuracy or correctness. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use, or disposal of

On inventory (yes/no)*

Yes

the product.

SDS #101 Version: 1.0 Issue date: June 01, 2015 8 / 8